



**How to Upgrade AX PRO Wireless Control Panel by Browser  
(HPC Management)**

<b>Title:</b>	DS-PWA How to Upgrade AX PRO Wireless Control Panel by Browser(HPC Management)	<b>Version:</b>	v1.0	<b>Date:</b>	08/06/2020
<b>Product:</b>	DS-PWA Series AX PRO Wireless Security Control Panel			<b>Page:</b>	1 of 15

## Preparation

---

1. DS-PWA Series AX PRO Wireless Security Control Panel
2. IE explorer
3. Newest Firmware file


## How to Upgrade AX PRO Wireless Control Panel by Browser (HPC Management)

---



For AX PRO Panel, when you have add it to HPC (Hik-ProConnet) to manage, upgrade by Brower need PIN permissions from HPC browser.

### 1. HPC Browser Configuration

- 1) **Address: [www.hik-proconnect.com](http://www.hik-proconnect.com)**
- 2) Login Hik-ProConnet account and password




- 3) Select Site--Device
- 4) Click Apply for PIN, then it will show the Upgrade PIN for AX PRO Panel




## 2. Login Device Upgrade interface

- 1) Use Brower Login Panel IP, account and password is Hik-Connect account and password.




## 2) Select **Maintenance—Device Information—Remote Upgrade**



3) Enter Pin Code from Hik-ProConnect, and select the Upgrade File, then start upgrading.

**Manufacture Authorization** ✕

Pin code  

**Upgrade** ✕

**Remote Upgrade**

Upgrade Type

Upgrade File



See Far, Go Further