

**DS-TVL121-3-5D/4****One-way Indoor Parking Guidance Screen with 4 Numbers**

- Support 7 colors: red, green, yellow, blue, purple, cyan, white;
- Icon screens can display following icons: ↑, ↓, ←, →, ↶, ↷, ↘, ↙, Family, Disabled, Charging, Pregnant, Female, Male, ○, ×, F, N, and also reserve 10 spare icons for usage extension;
- Digit screens' display ranges vary from type to type, and each numerical digit can display the number from 0 to 9;
- •Equipped with standard RS485/RJ45 communication mode


## ▪ Specification

Display Screen	
Screen Type	One-way indoor parking screen with 4 characters
Pixel Pitch	7mm & 8mm
Viewing Angle	110°
Luminance	3800cd/m <sup>2</sup>
Scanning Mode	1/16 A Model Scanning
Display Color	red, green, yellow, blue, purple, cyan, white
Display Icon	↑, ↓, ←, →, ↖, ↗, ↘, ↙, Family, Disabled, Charging, Pregnant, Female, Male, ○, ×, F, N
Communication Mode	RJ45
Screen Dimensions (W × H × D)	695.5mm*226mm*88.5mm
General	
Power Supply	AC100V~AC240V
Working Consumption	5W
Max. Consumption	19W
Working Temperature and Humidity	-20°C ~ +50°C
Storage Temperature and Humidity	-30°C ~ +60°C
Package Size	800mm*355mm*150mm
Weight	5.35kg
Gross Weight	8.95kg
Lifespan	≥20000 hour

## ▪ Available Model

DS-TVL121-3-5D/4

## ▪ Dimension





**Headquarters**

No.555 Qianmo Road, Binjiang District,  
Hangzhou 310051, China  
T +86-571-8807-5998  
www.hikvision.com



Follow us on social media to get the latest product and solution information.

